

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal – Committed misconduct - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Articles of Charges - Issued.

IRRIGATION & CAD (SER.IV.2) DEPARTMENT

G.O.Rt.No: 895

Dated:25.05.2009.

O R D E R:-

It is proposed to hold an enquiry against Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal in accordance with the procedure laid down in Rule 20 of the APCS (CC&A) Rules 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of Imputations of misconduct or misbehavior in support of articles of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexures-III and IV).

3. Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal is directed to submit within 10 days of the receipt of this order a written statement of his defense.

4. Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal is informed that an inquiry will be held only in respect of the articles of charge as are not admitted. He should, therefore, specifically admit or deny the each articles of charge.

5. Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal is further informed that if he does not submit his written statement of defense on or before the time limit specified in para-3 above, or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Attention of Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal is aware of such representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of the Andhra Pradesh Civil Service (Conduct) Rules, 1964.

7. The receipt of the Memorandum be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRL.SECRETARY TO GOVERNMENT

To

Sri K.Satyanarayana, Asst.Engineer, Irrigation Division, Mahbubabad, IC Warangal through the ENC(AW), I&CAD Dept. Dept. Hyd.

Copy to Engineer-in-Chief (AW), I&CAD Department, Hyderabad with a request to serve the charges and send the dated acknowledgement of the Officer immediately.
SF/SC.

// FORWARDED BY ORDER //

SECTION OFFICER